



UNISOBY

HIGHLIGHTED FEATURES

- Unibody Longsills
- 3" Lower Center Of Gravity Compared To Crossmember Design
- Side & Tailgate: Double Wall For Heavy-Duty Application
- Tailgate: Upper & Lower Latches Provide Improved Safety To Operator
- Materials Chosen Strategically To Maximize Longevity Of Your Work Truck & Payload Capacity
- Easy To Mount And Install

Voth's Unibody design has been a trusted and proven dump body since 2003. Available in Aluminum, Steel or a Hybrid (Aluminum Sides & Tailgate on steel body). The Voth Unibody dump has a sleek understructure supported by longsills. Easy to install and features a low mounting height that provides a lower center of gravity and increased stability on the road or on the job site.

The overall design is robust, durable, and compact which pairs well with light and medium truck chassis. The original Steel Unibody provides a heavy-duty, hard-working truck design without sacrificing efficiency and functionality. Meanwhile the Aluminum Unibody optimizes your payload capacity with a lighter body and provides added corrosion resistance while maintaining the strength and integrity commonly associated with steel bodies.



STEEL



HYBRIDSteel Body with Aluminum Fold Down Sides & Tailgate




ALUMINUM

		STEEL HYBRID			ALUMINUM							
UNIBODY SIZE	9'9"	11'9"	12'9"	13'9"	9'9"	11'9"	12'9"	13'9"	9'9"	11'9"	12'9"	13'9"
RECOMMENDED CA	60" CA	84" CA	108" CA	108" / 120" CA	60" CA	84" CA	108" CA	108" / 120" CA	60" CA	84" CA	108" CA	108" / 120" CA
HEADBOARD HEIGHT OPTIONS		53" / 60" / 66" / 72" 53" / 60" / 66" / 72"			53" / 60" / 66" / 72"							
FOLDING SIDE WALL HEIGHT OPTIONS	14	14" 14" / 20"		14" / 20"			14" / 20"					
FOLDING SIDES	Sin	gle	Sp	olit		Single		Split		Single		Split
TAILGATE HEIGHT OPTIONS		20"	/ 26"		20" / 26"		26"	i				
FOLDING SIDE MATERIAL		10 & 12 (GA Steel		3	/16" Alumin	um 5052-H3	3/16" Aluminum 5052-H3		2		
TAILGATE MATERIAL		10 & 12 (GA Steel		3	/16" Alumin	um 5052-H3	2	3/16" Aluminum 5052-H32		2	
HEADBOARD MATERIAL		10 GA Steel 44/50W 10 GA Steel 44/50W 3/16" Alu		/16" Alumin	" Aluminum 5052-H32							
FLOOR MATERIAL	3/16" Steel 44/50W				3/16" Steel 44/50W		1/4" Aluminum 5083-H32					
REAR LIGHTING	LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers		LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers		Markers,	LED 4 - STT, 2 Reverse, 5 Rear Markers 2 Front Markers		larkers,				
WEIGHT RANGE (LBS)	2411 - 2549	2670 - 2841	2904 - 2856	3282 - 3545	2193 - 2280	2423 - 2789	2642 - 2804	2693 - 3204	1509 - 1541	1601 – 1662	1706 - 1748	1733 - 1937

Specs subject to change without notice. Consult with factory for more information.



UNISOBY



UNIBODY FEATURES

- 1. EASY ACCESS FOLD AWAY/LOCKABLE TARP CRANK
- 2. BLACK HEAVY DUTY MESH TARP WITH STEEL SEALED BEARINGS AND ALL STAINLESS STEEL HARDWARE
- 3. CNC CUT WINDOW
- 4. POCKETS FOR ALUMINUM OR WOOD SIDE EXTENSIONS
- 5. D-RINGS IN ALL 4 CORNERS
- 6. STAINLESS STEEL DOOR LATCHES
- 7. TAILGATE RELEASE LATCH (TO OPEN)

- 8. DEBRIS SHEDDING FRONT POSTS
- 9. TARP TIE-DOWN RODS ON SIDES
- 10. TAILGATE LATCHES FOR TWO-WAY ACTING TAILGATE
- 11. SAFETY STAND
- 12. UNIBODY DESIGN FLOOR
- 13. CHOICE OF EAGLE OR MAILHOT TELESCOPIC CYLINDER OR CHAMPION SCISSOR HOIST
- 14. 9" CABSHIELD

- 15. SHOVEL RACK CUT OUTS INTEGRATED INTO CABSHIELD
- 16. DUMP RELEASE LATCH (TO DUMP)

OPTIONS

- GRAVEL CHUTE
- REMOVABLE CHIPPER HOOD
- TOOL/SHOVEL RACK BASE









- Crossmember Channel With Longsills
- Sides Combination Of Single And Double Wall Design
- Dual Top Lock & Release Mechanism On Tailgate
- Flared Rear Corner Post For STT Lighting
- Available In Steel Or Aluminum For 60" CA Or 84" CA Truck Chassis
- Easy To Mount And Install

The new home of the JOB BOSS, this dump body features a heavy duty crossmember floor, providing maximum support and resistance to twisting or distortion from weight loading. Manufactured in steel and aluminum, the JOB BOSS dump body is supported by the same standard and custom body options offered by Voth Truck Bodies.








	STI	EEL	ALUMINUM		
JOB BOSS SIZE	9'4"	11'4"	9'4"	11'4"	
UNDERSTRUCTURE	Crossm	embers	Crossm	embers	
RECOMMENDED CA	60" CA	84" CA	60" CA 84" CA		
HEADBOARD HEIGHT OPTIONS	5!	5"	55"		
FOLDING SIDE WALL HEIGHT OPTIONS	15)"	15"		
FOLDING SIDES	Sin	gle	Single		
TAILGATE HEIGHT OPTIONS	2	1"	21"		
FOLDING SIDE MATERIAL	10 GA Ste	el 44/50W	3/16" Aluminum 5052-H32		
TAILGATE MATERIAL	10 GA Ste	el 44/50W	3/16" Aluminum 5052-H32		
HEADBOARD MATERIAL	10 GA Ste	el 44/50W	3/16" Aluminum 5052-H32		
FLOOR MATERIAL	10 GA Ste	10 GA Steel 44/50W 1/4" Aluminum 5083-H32			
REAR LIGHTING	LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers		LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Marke		
WEIGHT RANGE (LBS)	2210	2460	1400 1525		

Specs subject to change without notice. Consult with factory for more information.







- 1. EASY ACCESS FOLD AWAY/LOCKABLE TARP CRANK
- 2. BLACK HEAVY DUTY MESH TARP WITH STEEL SEALED BEARINGS AND ALL STAINLESS STEEL HARDWARE
- 3. CNC CUT WINDOW
- 4. POCKETS FOR ALUMINUM OR WOOD SIDE EXTENSIONS
- 5. D-RINGS IN ALL 4 CORNERS

- 6. DEBRIS SHEDDING FRONT POSTS
- 7. STAINLESS STEEL DOOR LATCHES
- 8. TAILGATE LATCHES FOR TWO-WAY ACTING TAILGATE
- 9. DUMP RELEASE LATCH (TO DUMP)
- 10. SAFETY STAND

- 11. CROSSMEMBER DESIGN FLOOR
- 12. CHOICE OF EAGLE OR MAILHOT TELESCOPIC CYLINDER OR CHAMPION SCISSOR HOIST
- 13. 9" CABSHIELD
- 14. SHOVEL RACK CUT OUTS INTEGRATED INTO CABSHIELD



DUMP INSERT

HIGHLIGHTED FEATURES

- Built for your 6'6" or 8" Pick-Up Bed
- 21" Side Wall Height
- 21" Tailgate Height
- Steel Subframe for Superior Support

- **Bolt-on Headboard**
- Tarp System with a Manual Hand Crank
- Mesh Side Extensions
- Spreader

Voth offers its unique dump insert design in two materials: Standard Steel and Aluminum. The overall design is robust, durable, and compact which pairs well with pick up trucks. The original Steel Unibody provides a heavy-duty, hard-working truck design without sacrificing efficiency and functionality. Meanwhile the Aluminum Unibody optimizes your payload capacity with a lighter body which is critical for trucks with a lighter payload allowance. In addition, Aluminum offers additional corrosion resistance while maintaining the strength and integrity commonly associated with Steel bodies.







	STI	EEL	ALUMINUM		
DUMP INSERT SIZE	6'6" 8'		6'6"	8'	
RECOMMENDED CA	6'6" to 6'9" 8' 6'6" to 6'9" Pick Up Bed Length Pick Up Bed Length Pick Up		8' Pick Up Bed Length		
HEADBOARD HEIGHT OPTIONS	Bolt on	Option	Bolt on Option		
SIDE WALL HEIGHT OPTIONS	2	1"	21"		
TAILGATE HEIGHT OPTIONS	2	21" 21"			
BODY MATERIAL	12 GA St	eel A1011	3/16" Aluminum 5052-H32		
FLOOR MATERIAL	12 GA St	eel A1011	3/16" Aluminum 5052-H32		
CAPACITY CU YARD (STRUCK)	2.02 2.45		2.02	2.45	
CAPACITY CU YARD (HEAPING)	2.82 3.55		2.82	3.55	
SYSTEM WEIGHT (LBS)	740 820 520 600			600	

Specs subject to change without notice. Consult with factory for more information.



DUMP INSERT



DUMP INSERT FEATURES

- 1. OPTIONAL HEADBOARD
 - A. EASY ACCESS FOLD AWAY/LOCKABLE TARP CRANK
 - B. BLACK HEAVY DUTY MESH TARP WITH STEEL SEALED BEARINGS AND ALL STAINLESS STEEL HARDWARE
- 2. D-RINGS IN ALL 4 CORNERS

- 3. DUAL 32' DOUBLE ACTING CYLINDERS
- 4. TAILGATE LATCHES FOR TWO-WAY ACTING TAILGATE
- 5. DUAL ACTING POWER PACK



US LANDSCAPE BODY

HIGHLIGHTED FEATURES

- Sleek And Durable Design
- Camlock Barn Doors
- 50" Swing Door On Passenger Side
- Integrated Cabshield And Tarp Housing
- Easy To Mount And Install

The US Landscape Body, featuring the Voth Unibody design, is known for its high sides offering more cubic space for hauling materials. To enhance the functionality, it comes with rear barn doors for easy loading and unloading, as well as a side swing access door for quick access inside the body. This specific design has gained significant attention and appreciation from our southern neighbors, impressing them with its utility.








		STI	EEL		ALUMINUM			
US LANDSCAPE SIZE	9'9"	11'9"	12'9"	13'9"	9'9"	11'9"	12'9"	13'9"
RECOMMENDED CA	60" CA	84" CA	108" CA	108" / 120" CA	60" CA	84" CA	108" CA	108" / 120" CA
HEADBOARD HEIGHT	48" (+ cabshield) 48" (+ cabshield)							
SIDE HEIGHT		4	8"	48"				
SIDE STYLE	Fixed Side (Driver Side) Swing Door (Passenger Side)			Fixed Side (Driver Side) Swing Door (Passenger Side)			nger Side)	
BARN DOOR HEIGHT		48" 48"						
SIDE MATERIAL		10 GA Ste	el 44/50W		3/16" Aluminum 5052-H32			
TAILGATE MATERIAL	10 GA Steel 44/50W				3/16" Aluminum 5052-H32			
HEADBOARD MATERIAL	10 GA Steel 44/50W 3/16" Aluminum 5052-H32							
FLOOR MATERIAL	3/16" Steel 44/50W 1/4" Aluminum 5083-H32							
REAR LIGHTING	LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Ma			nt Markers				
WEIGHT RANGE (LBS)	3000	3376	3659	3822	1685 1840 2088 2182			2182

Specs subject to change without notice. Consult with factory for more information.



US LANDSCAPE BODY



US LANDSCAPE BODY FEATURES

- 1. EASY ACCESS FOLD AWAY/LOCKABLE TARP CRANK
- 2. BLACK HEAVY DUTY MESH TARP WITH STEEL SEALED BEARINGS AND ALL STAINLESS STEEL HARDWARE
- 3. D-RINGS IN ALL 4 CORNERS
- 4. 50" SWING DOOR (PASSENGER SIDE)
- 5. REAR BARN DOORS WITH CAM LOCK

- 6. CHAMPION SCISSOR HOIST (45° > DUMP ANGLE)
- 7. UNIBODY DESIGN FLOOR
- 8. SAFETY STAND
- 9. CABSHIELD
- 10. SHOVEL RACK CUT OUTS INTEGRATED INTO CABSHIELD









- All Aluminum Construction
- 3 Built In Storage Compartments
- 1 Compartment Dedicated To Power Pack For Easy Access And Maintenance
- LED Stop/Turn/Tail Lights
- Easy To Install

The Unibody Box Delete is a unique design featuring an all-aluminium body, enhanced with integrated storage compartments and conventional features such as fold down sides and a two-way tailgate.

This design combines durability and utility while is purposefully optimizing payload capacity for pick up trucks.





Projected Payload \neg F250 / F350 Gas – 1539 lbs to 2,101 lbs.




	ALUMINUM
UNIBODY BOX DELETE	8′
RECOMMENDED CA	56" CA
HEADBOARD HEIGHT OPTIONS	50"
SIDE HEIGHT OPTIONS	15"
SIDE STYLE OPTIONS	Fold-Down
TAILGATE HEIGHT OPTIONS	21"
FOLDING SIDE MATERIAL	1/8" 3003 Aluminum
TAILGATE MATERIAL	1/8" 3003 Aluminum
HEADBOARD MATERIAL	1/8" 3003 Aluminum
FLOOR MATERIAL	3/16" Aluminum 5052-H32
REAR LIGHTING	LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers
WEIGHT (LBS)	972

Specs subject to change without notice. Consult with factory for more information.







UNIBODY BOX DELETE BODY FEATURES

- 1. POWER PACK COMPARTMENT
- 2. EASY ACCESS FOLD AWAY/LOCKABLE TARP CRANK
- 3. RECESSED D-RINGS IN ALL 4 CORNERS
- 4. STAINLESS STEEL DOOR LATCHES

- 5. 3 BUILT IN STORAGE COMPARTMENTS (1-DRIVER, 2-PASSENGER)
- 6. UNIBODY DESIGN FLOOR
- 7. SCISSOR HOIST







- Heavy Duty Contractor Grade Dump Body Design
- AR High Quality, Long Lasting Steel Material
- Smooth Clean Sides And Tailgate For Ease Of Maintenance And Space For Signs Or Decals.
- Optional Bolt On Cabshield

The Unibody HX is a contractor-grade dump body engineered for heavy-duty hauling applications. It is constructed using industry-renowned AR500 and AR450 abrasion-resistant steel across critical structural components, including the sides, tailgate, headboard, and floor. The integrated unibody design delivers a streamlined appearance while maximizing structural integrity, durability, and operational efficiency during high-impact dumping operations.







	S1156-H1-B1A4A-IB-BA5-1011-DPM	S1156-H1-B9D9A-EE-EA5-2011-DPM
LENGTH	15'6''	15'6''
RECOMMENDED CA	126"-135" CA	126"-135" CA
HEADBOARD HEIGHT	87"	87"
SIDE HEIGHT	30"	42"
CYLINDER CAPACITY	30 Ton Mailhot	30 Ton Mailhot
TAILGATE HEIGHT OPTIONS	48" Angled (Air Latched)	60" Straight (Air Latched)
SIDE MATERIAL	1/8" AR450	5/32" AR450
TAILGATE MATERIAL	3/16" AR200	3/16" AR450
HEADBOARD MATERIAL	1/8" AR200	5/32" AR450
FLOOR MATERIAL	3/16" AR200	3/16" AR450
REAR LIGHTING	LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers	LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers
WEIGHT (LBS)	TBD	TBD


Specs subject to change without notice. Consult with factory for more information.





S1156-H1-B1A4A-IB-BA5-1011-DPM

S1156-H1-B9D9A-EE-EA5-2011-DPM



UNIBODY-HX BODY FEATURES

- 1. MAILHOT 30 TON
- 2. D-RINGS IN ALL 4 CORNERS (2 D-RINGS ON TAILGATE)
- 3. ELECTRIC TARP WITH SIDE ARMS (ELECTRIC/AIR OPTIONS INCLUDING NO TARP SYSTEM)
- 4. 30" FIXED SIDES
- 5. 42" FIXED SIDES
- 6. 48 " AIR LATCHED TAILGATE (HIGH LIFT OPTIONAL)

- 7. 60 " AIR LATCHED TAILGATE (HIGH LIFT OPTIONAL)
- 8. ACCESS LADDER (OPTIONAL)
- 9. UNIBODY DESIGN FLOOR
- 10. 30" CABSHIELD (OPTIONAL)
- 11. 5" SHEDDING APRON





- Heavy Duty Contractor Grade Dump Body Design
- AR High Quality, Long Lasting Steel Material
- Smooth Clean Sides And Tailgate For Ease Of Maintenance And Space For Signs Or Decals.
- Optional Bolt On Cabshield

The Unibody HX is a contractor-grade dump body engineered for heavy-duty hauling applications. It is constructed using industry-renowned AR500 and AR450 abrasion-resistant steel across critical structural components, including the sides, tailgate, headboard, and floor. The integrated unibody design delivers a streamlined appearance while maximizing structural integrity, durability, and operational efficiency during high-impact dumping operations.










	S1206-H1-CAGAA-FE-EA6-0011-DP
LENGTH	20'6"
RECOMMENDED CA	186" CA
HEADBOARD HEIGHT	87"
SIDE HEIGHT	60"
CYLINDER CAPACITY	40 Ton Mailhot
TAILGATE HEIGHT OPTIONS	69" Straight (Air Latched)
SIDE MATERIAL	5/32"" AR450
TAILGATE MATERIAL	3/16" AR450
HEADBOARD MATERIAL	5/32" AR450
FLOOR MATERIAL	3/16" AR450
REAR LIGHTING	LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers
WEIGHT (LBS)	TBD

Specs subject to change without notice. Consult with factory for more information.







- 1. MAILHOT 40 TON
- 2. D-RINGS IN ALL 4 CORNERS (2 D-RINGS ON TAILGATE)
- 3. ELECTRIC TARP WITH SIDE ARMS (*ELECTRIC/AIR OPTIONS INCLUDING NO TARP SYSTEM*)
- 4. 60" FIXED SIDES
- 5. ACCESS LADDER (OPTIONAL)

- 6. 69 " AIR LATCHED TAILGATE (HIGH LIFT OPTIONAL)
- 7. UNIBODY DESIGN FLOOR
- 8. 30" CABSHIELD (OPTIONAL)
- 9. 5" SHEDDING APRON







HIGHLIGHTED FEATURES

- Heavy Duty Contractor Grade Dump Body Design
- HARDOX High Quality, Long Lasting Steel Material
- Smooth Clean Sides And Tailgate For Ease Of Maintenance And Space For Signs Or Decals.
- Integrated Cabshield And Tarp Housing

The Unibody HX is a contractor-grade dump body engineered for heavy-duty hauling applications. It is constructed using industry-renowned HARDOX 500 and HARDOX 450 abrasion-resistant steel across critical structural components, including the sides, tailgate, headboard, and floor. The integrated unibody design delivers a streamlined appearance while maximizing structural integrity, durability, and operational efficiency during high-impact dumping operations.










	S1123-HX001-WHITE-VTB
LENGTH	12'3"
RECOMMENDED CA	106" CA
HEADBOARD HEIGHT	68"
SIDE HEIGHT	30"
CYLINDER CAPACITY	20 Ton Mailhot
TAILGATE HEIGHT OPTIONS	42" (Air Latched)
SIDE MATERIAL	3/16" HARDOX 500 Tuff
TAILGATE MATERIAL	3/16" HARDOX 500 Tuff
HEADBOARD MATERIAL	1/8" HARDOX 450
FLOOR MATERIAL	3/16" HARDOX 500 Tuff
REAR LIGHTING	LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers
WEIGHT (LBS)	3800

Specs subject to change without notice. Consult with factory for more information.







UNIBODY-HX BODY FEATURES

- 1. MAILHOT 20 TON
- 2. D-RINGS IN ALL 4 CORNERS (2 D-RINGS ON TAILGATE)
- 3. MANUAL TARP CRANK WITH ARMS
- 4. 30" FIXED SIDES
- 5. ACCESS LADDER

- 6. 42" AIR LATCHED TAILGATE
- 7. UNIBODY DESIGN FLOOR
- 8. HEATED BOX READY (HEATED FLOOR & BOTTOM CHAMBER OF SIDE WALLS)
- 9. 12.5" CABSHIELD



NOTES



WARRANTY

VOTH WARRANTY

Voth Truck Bodies provides a 3-year warranty on items manufactured by Voth Truck Bodies.


VENDOR WARRANTY POLICIES

Telescopic cylinders come with a 1-year manufacturers warranty. Electric/ Hydraulic power packs come with a 1-year manufacturers warranty.

DISTRIBUTOR MAP

To find your distributor please visit vothtruckbodies.com/distributor-n






CONNECT WITH US ON OUR SOCIALS!















vothdistribution@driveproducts.com

For more info visit our websites: www.vothtruckbodies.com www.driveproducts.com