

DUMP BODIES

vothtruckbodies.com | driveproducts.com



UNIEDDY

HIGHLIGHTED FEATURES

- Unibody Longsills
- 3" Lower Center Of Gravity Compared To Crossmember Design
- Side & Tailgate: Double Wall For Heavy-Duty Application
- Tailgate: Upper & Lower Latches Provide Improved Safety To Operator
- Materials Chosen Strategically To Maximize Longevity Of Your Work Truck & Payload Capacity
- Easy To Mount And Install

Voth's Unibody design has been a trusted and proven dump body since 2003. Available in Aluminum, Steel or a Hybrid (Aluminum Sides & Tailgate on steel body). The Voth Unibody dump has a sleek understructure supported by longsills. Easy to install and features a low mounting height that provides a lower center of gravity and increased stability on the road or on the job site.

The overall design is robust, durable, and compact which pairs well with light and medium truck chassis. The original Steel Unibody provides a heavy-duty, hard-working truck design without sacrificing efficiency and functionality. Meanwhile the Aluminum Unibody optimizes your payload capacity with a lighter body and provides added corrosion resistance while maintaining the strength and integrity commonly associated with steel bodies.



STEEL



HYBRID Steel Body with Aluminum Fold Down Sides & Tailgate



ALUMINUM

-												
	STEEL				HYE	HYBRID			ALUMINUM			
UNIBODY SIZE	9'9"	11'9"	12'9"	13'9"	9'9"	11'9"	12'9"	13'9"	9'9"	11'9"	12'9"	13'9"
RECOMMENDED CA	60" CA	84" CA	108" CA	108" / 120" CA	60" CA	84" CA	108" CA	108" / 120" CA	60" CA	84" CA	108" CA	108" / 120" CA
HEADBOARD HEIGHT OPTIONS	53" / 60" / 66" / 72"			53" / 60"	/ 66" / 72"		53" / 60" / 66" / 72"					
FOLDING SIDE WALL HEIGHT OPTIONS	14	1″	14" /	/ 20"	14" / 20"				14" /	/ 20"		
FOLDING SIDES	Sin	gle	Sp	olit		Single		Split	Single S		Split	
TAILGATE HEIGHT OPTIONS	20" / 26"				20"	/ 26"		20" / 26"				
FOLDING SIDE MATERIAL	10 & 12 GA Steel			3	/16" Alumin	um 5052-H3	2	3/16" Aluminum 5052-H32				
TAILGATE MATERIAL		10 & 12 GA Steel 3/16" Alur			/16" Alumin	um 5052-H3	2	3/16" Aluminum 5052-H32				
HEADBOARD MATERIAL	10 GA Steel 44/50W			10 GA Ste	el 44/50W		3	/16" Alumin	um 5052-H3	2		
FLOOR MATERIAL	3/16" Steel 44/50W				3/16" Stee	el 44/50W		1	I/4" Aluminu	m 5083-H32		
REAR LIGHTING	LED 4 -	LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers			LED 4 -		rse, 5 Rear M Markers	larkers,	LED 4 -	STT, 2 Rever 2 Front		larkers,
WEIGHT RANGE (LBS)	2411 - 2549	2670 - 2841	2904 - 2856	3282 - 3545	2193 - 2280	2423 - 2789	2642 - 2804	2693 - 3204	1509 - 1541	1601 - 1662	1706 - 1748	1733 - 1937


Specs subject to change without notice. Consult with factory for more information.

VOTH DUMP BODIES

vothtruckbodies.com







UNIBODY FEATURES

- 1. EASY ACCESS FOLD AWAY/LOCKABLE TARP CRANK
- 2. BLACK HEAVY DUTY MESH TARP WITH STEEL SEALED BEARINGS AND ALL STAINLESS STEEL HARDWARE
- 3. CNC CUT WINDOW
- 4. POCKETS FOR ALUMINUM OR WOOD SIDE EXTENSIONS
- 5. D-RINGS IN ALL 4 CORNERS

VOTH DUMP BODIES

- 6. STAINLESS STEEL DOOR LATCHES
- 7. TAILGATE RELEASE LATCH (TO OPEN)

- 8. DEBRIS SHEDDING FRONT POSTS
- 9. TARP TIE-DOWN RODS ON SIDES
- **10.** TAILGATE LATCHES FOR TWO-WAY ACTING TAILGATE
- 11. SAFETY STAND
- 12. UNIBODY DESIGN FLOOR
- 13. CHOICE OF EAGLE OR MAILHOT TELESCOPIC CYLINDER OR CHAMPION SCISSOR HOIST
- 14. 9" CABSHIELD

15. SHOVEL RACK CUT OUTS INTEGRATED INTO CABSHIELD

16. DUMP RELEASE LATCH (TO DUMP)

OPTIONS

- GRAVEL CHUTE
- REMOVABLE CHIPPER HOOD
- TOOL/SHOVEL RACK BASE





HIGHLIGHTED FEATURES

- Crossmember Channel With Longsills
- Sides Combination Of Single And Double Wall Design
- Dual Top Lock & Release Mechanism On Tailgate
- Flared Rear Corner Post For Stt Lighting
- Available In Steel Or Aluminum For 60" Ca Or 84" Ca Truck Chassis
- Easy To Mount And Install


The new home of the JOB BOSS, this all steel dump body features a heavy duty crossmember floor, providing maximum support and resistance to twisting or distortion from weight loading. Manufactured in steel and aluminum, the JOB BOSS dump body is supported by the same standard and custom body options offered by Voth Truck Bodies.



	STE	EL	ALUMINUM		
JOB BOSS SIZE	9'4"	11'4"	9'4"	11'4''	
UNDERSTRUCTURE	Crossm	embers	Crossmembers		
RECOMMENDED CA	60" CA	84" CA	60" CA	84" CA	
HEADBOARD HEIGHT OPTIONS	55	5″	55"		
FOLDING SIDE WALL HEIGHT OPTIONS	15	5″	15″		
FOLDING SIDES	Sin	gle	Single		
TAILGATE HEIGHT OPTIONS	2	1″	21"		
FOLDING SIDE MATERIAL	10 GA Stee	el 44/50W	3/16" Aluminum 5052-H32		
TAILGATE MATERIAL	10 GA Stee	el 44/50W	3/16" Aluminum 5052-H32		
HEADBOARD MATERIAL	10 GA Stee	el 44/50W	3/16" Aluminum 5052-H32		
FLOOR MATERIAL	10 GA Stee	el 44/50W	1/4" Aluminum 5083-H32		
REAR LIGHTING	LED 4 - STT, 2 Reverse, 5 Re	ar Markers, 2 Front Markers	LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers		
WEIGHT RANGE (LBS)	2210	2460	1400	1525	







JOB BOSS BODY FEATURES

- 1. EASY ACCESS FOLD AWAY/LOCKABLE TARP CRANK
- 2. BLACK HEAVY DUTY MESH TARP WITH STEEL SEALED BEARINGS AND ALL STAINLESS STEEL HARDWARE
- 3. CNC CUT WINDOW
- 4. POCKETS FOR ALUMINUM OR WOOD SIDE EXTENSIONS
- 5. D-RINGS IN ALL 4 CORNERS

- 6. DEBRIS SHEDDING FRONT POSTS
- 7. STAINLESS STEEL DOOR LATCHES
 - 8. TAILGATE LATCHES FOR TWO-WAY ACTING TAILGATE
 - 9. DUMP RELEASE LATCH (TO DUMP)
 - 10. SAFETY STAND

- 11. CROSSMEMBER DESIGN FLOOR
- 12. CHOICE OF EAGLE OR MAILHOT TELESCOPIC CYLINDER OR CHAMPION SCISSOR HOIST
- 13. 9" CABSHIELD
 - 14. SHOVEL RACK CUT OUTS INTEGRATED INTO CABSHIELD



YDINH

DUMP INSERT

HIGHLIGHTED FEATURES

- Built for your 6'6" or 8" Pick-Up Bed
- 21" Side Wall Height
- 21" Tailgate Height
- Steel Subframe for Superior Support

OPTIONAL DUMP INSERT ACCESSORIES

- Bolt-on Headboard
- Tarp System with a Manual Hand Crank
- Mesh Side Extensions
- Spreader

Voth offers its unique dump insert design in two materials: Standard Steel and Aluminum. The overall design is robust, durable, and compact which pairs well with pick up trucks. The original Steel Unibody provides a heavy-duty, hard-working truck design without sacrificing efficiency and functionality. Meanwhile the Aluminum Unibody optimizes your payload capacity with a lighter body which is critical for trucks with a lighter payload allowance. In addition, Aluminum offers additional corrosion resistance while maintaining the strength and integrity commonly associated with Steel bodies.



Steel Dump Insert with optional headboard



	ST	EEL	ALUMINUM		
DUMP INSERT SIZE	6'6"	6'6" 8'		8'	
RECOMMENDED CA	6'6" to 6'9" Pick Up Bed Length	8' Pick Up Bed Length	6'6" to 6'9" Pick Up Bed Length	8' Pick Up Bed Length	
HEADBOARD HEIGHT OPTIONS	Bolt on	Option	Bolt on Option		
SIDE WALL HEIGHT OPTIONS	2	1″	21"		
TAILGATE HEIGHT OPTIONS	2	1″	21"		
BODY MATERIAL	12 GA St	eel A1011	3/16" Aluminum 5052-H32		
FLOOR MATERIAL	12 GA St	eel A1011	3/16″ Aluminum 5052-H32		
CAPACITY CU YARD (STRUCK)	2.02	2.45	2.02	2.45	
CAPACITY CU YARD (HEAPING)	2.82	3.55	2.82	3.55	
SYSTEM WEIGHT (LBS)	740	820	520	600	



DUMP INSERT



DUMP INSERT FEATURES

1. OPTIONAL HEADBOARD

- A. EASY ACCESS FOLD AWAY/LOCKABLE TARP CRANK
- B. BLACK HEAVY DUTY MESH TARP WITH STEEL SEALED BEARINGS AND ALL STAINLESS STEEL HARDWARE
- 2. D-RINGS IN ALL 4 CORNERS

- 3. DUAL 32' DOUBLE ACTING CYLINDERS
- 4. TAILGATE LATCHES FOR TWO-WAY ACTING TAILGATE
- 5. DUAL ACTING POWER PACK

VOTH DUMP BODIES



HIGHLIGHTED FEATURES

- Sleek And Durable Design
- Camlock Barn Doors
- 50" Swing Door On Passenger Side
- Integrated Cabshield And Tarp Housing
- Easy To Mount And Install

The US Landscape Body, features the Voth Unibody design, is known for its high sides offering more cubic space for hauling materials. To enhance the functionality, it comes with rear barn doors for easy loading and unloading, as well as a side swing access door for quick access inside the body. This specific design has gained significant attention and appreciation from our southern neighbors, impressing them with its utility.



	STEEL				ALUMINUM				
US LANDSCAPE SIZE	9'9"	11'9"	12'9"	13'9"	9'9"	11'9''	12'9"	13'9"	
RECOMMENDED CA	60" CA	84" CA	108″ CA	108" / 120" CA	60" CA	84" CA	108″ CA	108" / 120" CA	
HEADBOARD HEIGHT	48" (+ cabshield)				48" (+ cabshield)				
SIDE HEIGHT	48"				48"				
SIDE STYLE	Fixed Side (Driver Side) Swing Door (Passenger Side)				Fixed Side (Driver Side) Swing Door (Passenger Side)				
BARN DOOR HEIGHT	48"				48"				
SIDE MATERIAL	10 GA Steel 44/50W				3/16" Aluminum 5052-H32				
TAILGATE MATERIAL	10 GA Steel 44/50W				3/16" Aluminum 5052-H32				
HEADBOARD MATERIAL	10 GA Steel 44/50W				3/16" Aluminum 5052-H32				
FLOOR MATERIAL	3/16" Steel 44/50W				1/4″ Aluminum 5083-H32				
REAR LIGHTING	LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers				LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers				
WEIGHT RANGE (LBS)	3000 3376 3659 3822			1685	1840	2088	2182		

Specs subject to change without notice. Consult with factory for more information.


VOTH DUMP BODIES

VEPRODUCTS FACTURING DIVISION

YDINH



US LANDSCAPE BODY



US LANDSCAPE BODY FEATURES

- 1. EASY ACCESS FOLD AWAY/LOCKABLE TARP CRANK
- 2. BLACK HEAVY DUTY MESH TARP WITH STEEL SEALED BEARINGS AND ALL STAINLESS STEEL HARDWARE
- 3. D-RINGS IN ALL 4 CORNERS
- 4. 50" SWING DOOR (PASSENGER SIDE)
- 5. REAR BARN DOORS WITH CAM LOCK

- 6. CHAMPION SCISSOR HOIST (45° > DUMP ANGLE)
- 7. UNIBODY DESIGN FLOOR
- 8. SAFETY STAND
- 9. CABSHIELD
- 10. SHOVEL RACK CUT OUTS INTEGRATED INTO CABSHIELD



7



HIGHLIGHTED FEATURES

- All Aluminum Construction
- 3 Built In Storage Compartments
- 1 Compartment Dedicated To Power Pack For Easy Access And Maintenance
- Led Stop/Turn/Tail Lights
- Easy To Install

The Unibody Box Delete is a unique design featuring an all-aluminium body, enhanced with integrated storage compartments and conventional features such as fold down sides and a two-way tailgate.

This design combines durability and utility while is purposefully optimizing payload capacity for pick up trucks.

VOTH






Projected Payload → F250 / F350 Gas - 1539 lbs to 2,101 lbs.



	ALUMINUM			
UNIBODY BOX DELETE	8′			
RECOMMENDED CA	56" CA			
HEADBOARD HEIGHT OPTIONS	50"			
SIDE HEIGHT OPTIONS	15″			
SIDE STYLE OPTIONS	Fold-Down			
TAILGATE HEIGHT OPTIONS	21"			
FOLDING SIDE MATERIAL	1/8″ 3003 Aluminum			
TAILGATE MATERIAL	1/8" 3003 Aluminum			
HEADBOARD MATERIAL	1/8″ 3003 Aluminum			
FLOOR MATERIAL	3/16" Aluminum 5052-H32			
REAR LIGHTING	LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers			
WEIGHT (LBS)	972			







UNIBODY BOX DELETE BODY FEATURES

- 1. POWER PACK COMPARTMENT
- 2. EASY ACCESS FOLD AWAY/LOCKABLE TARP CRANK
- **3.** RECESSED D-RINGS IN ALL 4 CORNERS
- 4. STAINLESS STEEL DOOR LATCHES

- 5. 3 BUILT IN STORAGE COMPARTMENTS (1-DRIVER, 2-PASSENGER)
- 6. UNIBODY DESIGN FLOOR
- 7. SCISSOR HOIST

VOTH DUMP BODIES



UNIBODY-HX

HIGHLIGHTED FEATURES

- Heavy Duty Contractor Grade Dump Body Design
- Hardox High Quality, Long Lasting Steel Material
- Smooth Clean Sides And Tailgate For Ease Of Maintenance And Space For Signs Or Decals.
- Integrated Cabshield And Tarp Housing


The Unibody HX is contractor grade dump body designed for heavy haul applications utilizing industry renowned Hardox 500 and 450 material in the constructions of the sides, tailgate, headboard, and floor. The unibody design offers a clean and sleak look while offering durability and functionality while dumping heavy materials.



		HARDOX
A state and a state an	UNIBODY HARDOX	12'3"
	RECOMMENDED CA	84" CA
	HEADBOARD HEIGHT	68"
1	SIDE HEIGHT	30"
	SIDE STYLE	Fixed
	TAILGATE HEIGHT OPTIONS	42" (Air Operated)
	SIDE MATERIAL	3/16" Hardox 500 Tuff Single Wall
	TAILGATE MATERIAL	3/16" Hardox 500 Tuff Single Wall
	HEADBOARD MATERIAL	1/8" Hardox 450
	FLOOR MATERIAL	3/16" Hardox 500 Tuff
	REAR LIGHTING	LED 4 - STT, 2 Reverse, 5 Rear Markers, 2 Front Markers
	WEIGHT (LBS)	3800







UNIBODY-HX BODY FEATURES

- 1. MAILHOT 20 TON 120" TELESCOPIC HOIST (45° DUMP ANGLE)
- 2. D-RINGS IN ALL 4 CORNERS (2 D-RINGS ON TAILGATE)
- 3. MANUAL TARP CRANK WITH ARMS
- 4. 30" FIXED SIDES
- 5. PASSENGER SIDE ACCESS LADDER

- 6. 42" AIR OPERATED TAILGATE
- 7. UNIBODY DESIGN FLOOR
- 8. HEATED BOX READY
- 9. 12.5" CABSHIELD

VOTH DUMP BODIES



WARRANTY

VOTH WARRANTY

Voth Truck Bodies provides a 3-year warranty on items manufactured by Voth Truck Bodies.

VENDOR WARRANTY POLICIES

Telescopic cylinders come with a 1-year manufacturers warranty. Electric/ Hydraulic power packs come with a 1-year manufacturers warranty.

CONNECT WITH US ON OUR SOCIALS!







KEY CONTACTS

KEY CONTACTS

FRANK VOTH - *President & Sales Canadian Distributor Inquiries* **T:** 519.842.7200 x 3142 **F:** 519.842.7230 **E:** frank@vothsales.com

STEVE VOTH - Operations Manager T: 519.842.7200 x 3143 F: 519.842.7230 E: steve@vothsales.com


CHRIS GOLETZ - US Sales Eastern USA T: 262.294.1588 E: cgoletz@driveproducts.com

KENAN COLIC - Manufacturing Division Inside SalesT: 1.800.668.6012 x 3148E: vothdistribution@driveproducts.com

DISTRIBUTOR MAP

To find your distributor please visit vothtruckbodies.com/distributor-map







DRIVEPRODUCTS MANUFACTURING DIVISION

Voth Truck Bodies serves Canada and the U.S. with steel, aluminum, and hybrid truck bodies. Supporting a variety of industries, Voth has built a strong relationship with the landscape and tree care industries with their unibody dump body design and a range of chipper body and forestry body designs. A member of Drive Products Manufacturing, Voth Truck Bodies are now manufactured in three facilities across Canada. In addition to Voth's signature line of truck bodies, these facilities also manufacture Kargo King Roll-Off Systems, Big Max Roll-Off Systems and more.

Winsor Manufacturing Facility: 85,000 sq.ft

Courtland Manufacturing Facility: 130,000 sq.ft

💹 () 📶 🖉 🔚 🔚 🔚 🔚

Morden Manufacturing Facility: 56,000 sq.ft





519.842.7200

vothdistribution@driveproducts.com

© Voth | Drive Products Manufacturing 2024. Voth reserves the right to make changes in specifications, packages, or to discontinue options without notice at any time.

For more info visit our websites: www.vothtruckbodies.com www.driveproducts.com