











Voth's all-aluminum service body is known for its strength and reliability, crafted from premium 5052-H32 marine-grade aluminum. Its heavy-gauge construction ensures durability on the job site and at 45% lighter than steel, it enhances fuel efficiency and maximizes payload capacity, offering a smarter, more cost-effective solution for your business.

The standard offering comes with all the features you need to get the job done right!




Body	Body	Body	Body	Compartment Size		
Length	Width	Hight	Material	A (Red)	B (Blue)	C (Green)
98.00 in (8.16 ft)	81.45 in (6.78 ft)	42.00 in (3.5 ft)	0.125" Welded 5050 - H32 Aluminum	21.62 in x 36.31 in (1.80 ft x 3.02 ft)	42.50 in x 17.68 in (3.54 ft x 1.47 ft)	17.62 in x 36.31 in (1.46 ft x 3.02 ft)



Body	Body	Body	Body Material	Compartment Size		
Length	Width	Hight		A (Red)	B (Blue)	C (Green)
98.00 in (8.16 ft)	81.45 in (6.78 ft)	42.00 in (3.5 ft)	0.125" Welded 5050 - H32 Aluminum	21.62 in x 36.31 in (1.80 ft x 3.02 ft)	65.06 in x 17.68 in (5.42 ft x 1.47 ft)	13.93 in x 17.625 in (1.16 ft x 1.46 ft)





#### **STANDARD 56CA SERVICE BODY FEATURES**

#### **Body Features**

- 1. FOUR 2000LBS SWIVEL TIE DOWNS IN LOAD SPACE
- 2. TWO REAR GUARD HANDLES
- 3. FRONT GRAVEL AND WHEEL WELL GUARDS
- 4. FUEL FILL GAUGE
- 5. 11" TAILGATE
- 6. POWDER COAT WHITE PAINT
- 7. RECESSED 10" BUMPER

#### **Door and Security Features**

- 8. STAINLESS WHALE TAIL HANDLES
- 9. THREE POINT LOCKING SYSTEM
- 10. DUAL AUTOMOTIVE DOOR SEALS
- 11. FORMED DRIP EDGE
- 12. MASTER LOCKING SYSTEM
- 13. GAS SHOCK DOOR HOLDERS (VERTICAL), CHAINS (HORIZONTAL)

#### **Lighting Features**

- 14. LED STOP / TAIL / TURN LIGHT
- 15. LED ROPE LIGHTINGIN ALL COMPARTMENTS



Mounting Kits						
GW-STDSB-MTG-DODGE-KIT	RAM Mounting Kit, 56CA, pre-2016					
GW56CA-RAM25-3500-MTG-KIT-2017	RAM Mounting Kit, 56CA, 2017+					
GW-STDSB-MTG-GM2500-KIT-2018	GM Mounting Kit, 2500/3500, 2017-2018					
GW56CA-GM25-3500-MTG-KIT-2020	GM Mounting Kit, 2500/3500, 2020+					
SB-MTG-F250PU-KIT-2017	Ford Mounting Kit, 56CA					

#### \*Cannot be mounted on RAM 3500 Box Delete\*

Bumpers (Optional)						
Work Bench Bumper, 21" Platform, Stabillizer Cut Out, 80" Wide	WBCB-ASSY					

Drawers							
Part Number Description Location							
SBA211079-4DRWR	21"W x 10"D x 19"H, Drawer (4" x 3.3" x 1")	Front Curb or Steel Side					
SBA42107-1DRWR	42"W x 10"D x 7"H, 1 Drawer (3" x 1")	Horizontal Curb or Street Side					
SBA421010-2DRWR	42"W x 10"D x 7"H, 2 Drawer (4" x 2")	Horizontal Curb or Street Side					
SBA171019-4DRWR	17"W x 10"D x 19"H, 4 Drawer (4" x 3.3" x 1")	Rear Curb or Street Side					

Service Body Options
Options
Retractable Roof - Aluminum roll up roof w/ lockable handle
Sliding Roof - 3 pc aluminum sliding roof assy w/ flip up gate
Horizontal Ladder Rack - Aluminum flat or angled ladder rack
Slide Out Bed - 1200lb capacity slide out deck
Side Pack Mounted Toolboxes - 8" tall toolboxes to provide more storage
Material Rack - Allows storage of pipe, ladders and materials above the body
Headache Rack - Rear window guard w/ light brackets
Spare Tire Holder - Mounts to the side or top of body
E-Track - Mounted in load space, specify amount & location
Cone Holder - Flat or angled cone holder, specific bin location
Extra Shelving - Additional adjustable shelf, specific bin location
Swivel Hooks - Bolt on swivel hooks for inside of bins
Gas Bottle Brackets - Front bin only, comes with vented doors

Aluminum Checkerplate Trim Kits					
Top of Side Packs					
Load Space Walls					

Paint
Paint Process White Paint - Consult Factory For Non-Standard Colours

Lighting
Options
Load Space Lights - 2 or 4 LED lights on sidewall
Pedestal Mount Strobes - Amber strobe on a 18" tall stand
Remote Spot Lights - Radio LED spotlight on a 18" tall stand
Traffic Directors - Splited arrow light
Corner Strobes - 2 mounted in front grill, 2 at the rear of body
Work Lights - LED floodlight, specify location(s)



Work Packages
Options
Non-Slip Flooring - Rubberized coating for load space and/or bumper
Welder - Contact dealer for more information
Compressor - Contact dealer for more information
Lube Skid - Contact dealer for more information
Hitch / Tow - Contact dealer for more information
Inverter - Contact dealer for more information
Liftgate - Contact dealer for more information

























Voth's all-aluminum service body is known for its strength and reliability, crafted from premium 5052-H32 marine-grade aluminum. Its heavygauge construction ensures durability on the job site and at 45% lighter than steel, it enhances fuel efficiency and maximizes payload capacity, offering a smarter, more cost-effective solution for your business.


The 60CA line of service bodies offers multiple configurations such as taller body compartments and a fully enclosed body.



Body	Body	Body	Body Material	Compartment Size		
Length	Width	Hight		A (Red)	B (Blue)	C (Green)
108.00 in (9 ft)	81.484 in (6.79 ft)	42.00 in (3.5 ft)	0.125" Welded 5050 - H32 Aluminum	27.62 in x 36.31 in (2.30 ft x 3.02 ft)	42.50 in x 17.68 in (3.54 ft x 1.474 ft)	21.62 in x 36.31 in (1.80 ft x 3.02 ft)




Body	Body	Body	Body Material	Compartment Size		
Length	Width	Hight		A (Red)	B (Blue)	C (Green)
108.00 in (9 ft)	81.454 in (6.78 ft)	60.00 in (5 ft)	0.125" Welded 5050 - H32 Aluminum	27.50 in x 54.25 in (2.29 ft x 4.52 ft)	42.50 in x 35.56 in (3.54 ft x 2.96 ft)	21.50 in x 54.25 in (1.79 ft x 4.52 ft)



Body	Body Body Bod		Body	C	Compartment Size	
Length	Width	Width Hight	Material	A (Red)	B (Blue)	C (Green)
108.00 in (9 ft)	97.484 in (8.125 ft)	42.00 in (3.5 ft)	0.125" Welded 5050 - H32 Aluminum	27.62 in x 36.31 in (2.30 ft x 3.02 ft)	42.50 in x 17.68 in (3.54 ft x 1.474 ft)	21.62 in x 36.31 in (1.80 ft x 3.02 ft)




Body	Body	Body Body	Body	Compartment Size			
Length	Width	Hight	Material	A (Red)	B (Blue)	C (Green)	
108.125 in (9 ft)	97.5 in (8.125 ft)	60 in (5 ft)	0.125" Welded 5050 - H32 Aluminum	27.50 in x 54.25 in (2.29 ft x 4.52 ft)	42.50 in x 35.56 in (3.54 ft x 2.96 ft)	21.50 in x 54.25 in (1.79 ft x 4.52 ft)	



Body	Body Body		Body	Compartment Size		
Length	Width	Hight	Material	A (Red)	B (Blue)	C (Green)
108 in (9 ft)	97.5 in (8.125 ft)	70.5 in (5.875 ft)	0.125" Welded 5050 - H32 Aluminum	27.50 in x 36.25 in (2.29 ft x 3.02 ft)	42.50 in x 17.50 in (3.54 ft x 1.45 ft)	21.50 in x 36.25 in (1.79 ft x 3.02 ft)





#### STANDARD 60CA SERVICE BODY FEATURES

#### **Body Features**

- 1. FOUR 2000LBS SWIVEL TIE DOWNS IN LOAD SPACE
- 2. TWO REAR GRAB HANDLES
- 3. FRONT GRAVEL GUARDS
- 4. 11" TAILGATE
- 5. POWDER COAT WHITE PAINT
- 6. FULLY ENCLOSED SERVICE BODY

#### **Door and Security Features**

- 7. STAINLESS WHALE TAIL HANDLES
- 8. THREE POINT LOCKING SYSTEM
- 9. DUAL AUTOMOTIVE DOOR SEALS
- 10. FORMED DRIP EDGE
- 11. SHELVING: 2 PER VERTICAL. \*1 ON HORIZONTAL (60" TALL BODY ONLY)
- 12. MASTER LOCKING SYSTEM

#### **Lighting Features**

- 13. LED STOP / TAIL / TURN LIGHT
- 14. LED ROPE LIGHTINGIN ALL COMPARTMENTS



Mounting Kits					
RAM Mounting Kit, 60CA, 2018+	GW-RAM3500-BM-2018				
Ford Mounting Kit, 60CA	SB-BM-F350-2017				
GM Mounting Kit, 2500/3500, 2017-2018	GW-STDSB-MTG-GM2500-KIT-2018				

Bumpers (Optional)	
Standard Bumper, 10" Recesses, 79" Wide	SBASRWBU (Standard SRW / Included)
Standard Bumper, 10" Recessed, 95" Wide	SBADRWBU (Standard DRW / Included)
Workbench Bumper, 21", Recessed, 70" Wide	WBCB-ASSY
Workbench Storage Bumper, 21", Recessed, Stabilizer cut out 95" Wide	GWBU392
Walk-up Platform Bumper, 24" Straight 95" Wide	SBATS-SA
Walk-up Platform Bumper, 34" Straight 95" Wide	SBATS2-SA
Handrail for SBATS	GWHR59-SA

Drawers						
Part Number	Description	Location				
SBA211019-4DRWR	21"W x 10"D x 19"H, 4 Drawer (4" x 3.3" x 1")	Front Curb or Steel Side				
SBA42107-1DRWR	42"W x 10"D x 7"H, 1 Drawer (3" x 1")	Horizontal Curb or Steel Side				
SBA421010-2DRWR	42"W x 10"D x 7"H, 2 Drawer (4" x 2")	Horzontal Curb or Steel Side				
SBA171019-4DRWR	17"W x 10"D x 19"H, 4 Drawer (4" x 3.3" x 1")	Rear Curb or Steel Side				

Service Body Options
Options
Retractable Roof - Aluminum roll up roof w/ lockable handle
Sliding Roof - 3 pc aluminum sliding roof assy w/ flip up gate
Non-Slip Flooring - Rubberized coating for load space and/or bumper
Ladder Rack - Contact Dealer For More Information
Slide Out Bed - 1200lb capacity slide out deck
Side Pack Mounted Toolboxes - 8" tall toolboxes to provide more storage
Material Rack - Allows storage of pipe, ladders and materials above the body

Aluminum Checkerplate Trim Kits
Top of Side Packs
Load Space Walls

	Paint
Р	aint Process White Paint - Consult Factor For Non-Standard Colours

Lighting
Options
Load Space Lights - 2 or 4 LED lights on sidewall
Pedestal Mount Strobes - Amber strobe on a 18" tall stand
Remote Spot Lights - Radio LED spotlight on a 18" tall stand
Traffic Directors - Splited arrow light
Scene Lights - Contact Dealer For More Information
Corner Strobes - 2 mounted in front grill, 2 at the rear of body
Work Lights - LED floodlight, specify location(s)



Work Packages
Options
Compartment Reinforcements Kits - Contact Dealer For More Information
Welder - Contact Dealer For More Information
Compressor - Contact Dealer For More Information
Lube Skid - Contact Dealer For More Information
Liftgate - Contact Dealer For More Information























Voth's all-aluminum service body is known for its strength and reliability, crafted from premium 5052-H32 marine-grade aluminum. Its heavy-gauge construction ensures durability on the job site and at 45% lighter than steel, it enhances fuel efficiency and maximizes payload capacity, offering a smarter, more cost-effective solution for your business.


The 84CA line of service bodies offers multiple configurations such as taller body compartments and a fully enclosed body.




Body Length	Body	Body	Body	Compartment Size			
	Width	Hight	Material	A (Red)	B (Blue)	C (Green)	D (Yellow)
132.00 in (11 ft)	97.484 in (8.12 ft)	42.00 in (3.5 ft)	0.125" Welded 5050 - H32 Aluminum	27.62 in x 36.31 in (2.30 ft x 3.02 ft)	17.62 in x 36.31 in (1.46 ft x 3.02 ft)	42.50 in x 17.68 in (3.54 ft x 1.474 ft)	21.62 in x 36.31 in (1.80 ft x 3.02 ft)



Body Length	Body Body Compar				Compartn	ment Size	
	Width	Hight	Material	A (Red)	B (Blue)	C (Green)	D (Yellow)
132.00 in (11 ft)	97.484 in (8.12 ft)	60.00 in / 42.00 (5 ft / 3.5 ft)	0.125" Welded 5050 - H32 Aluminum	27.62 in x 54.31 in (2.30 ft x 4.52 ft)	17.62 in x 36.31 in (1.46 ft x 3.02 ft)	42.50 in x 17.68 in (3.54 ft x 1.474 ft)	21.62 in x 36.31 in (1.80 ft x 3.02 ft)





Body	Body	Body	Body	Compartment Size			
Length	Width	Hight	Material	A (Red)	B (Blue)	C (Green)	D (Yellow)
132.00in (11 ft)	97.484 in (8.12 ft)	60 in (5 ft)	0.125" Welded 5050 - H32 Aluminum	27.50 in x 54.25 in (2.29 ft x 4.52 ft)	17.50 in x 54.25 in (1.45 ft x 4.52 ft)	42.50 in x 35.50 in (3.54 ft x 2.95 ft)	21.50 in x 54.25 in (1.79 ft x 4.52 ft)





Body Length	Body	Body	Body	Compartment Size			
	Width	Hight	Material	A (Red)	B (Blue)	C (Green)	D (Yellow)
132.00 in (11 ft)	97.484 in (8.12 ft)	88.625 in (7.38 ft)	0.125" Welded 5050 - H32 Aluminum	27.50 in x 54.25 in (2.29 ft x 4.52 ft)	17.50 in x 36.25 in (1.45 ft x 3.02 ft	42.50 in x 17.50 in (3.54 ft x 1.45 ft)	21.50 in x 36.25 in (21.50 ft x 3.02 ft)











#### STANDARD 84CA SERVICE BODY FEATURES

#### **Body Features**

- 1. SIX 2000LBS SWIVEL TIE DOWNS IN LOAD SPACE
- 2. TWO REAR GRAB HANDLES
- 3. FRONT GRAVEL GUARDS
- 4. 11" TAILGATE
- 5. POWDER COAT WHITE PAINT
- 6. FULLY ENCLOSED SERVICE BODY

#### **Door and Security Features**

- 7. STAINLESS WHALE TAIL HANDLES
- 8. THREE POINT LOCKING SYSTEM
- 9. DUAL AUTOMOTIVE DOOR SEALS
- 10. FORMED DRIP EDGE
- 11. SHELVING: 2 PER VERTICAL. \*1 ON HORIZONTAL ONLY AVAILABLE ON 60" BODY\*
- 12. MASTER LOCKING SYSTEM
- 13. GAS SHOCK DOOR HOLDERS (VERTICAL), CHAINS HORIZONTAL

#### **Lighting Features**

- 14. LED STOP / TAIL / TURN LIGHT
- 15. LED ROPE LIGHTINGIN ALL COMPARTMENTS



Mounting Kits					
RAM Mounting Kit, 84CA	GW-STDSB-MTG-DODGE-KIT				
Ford Mounting Kit, 84CA	ASB84DRW-BM-8				

Bumpers	
Standard Bumper, 10" Recessed, 95" Wide	SBADRWBU (Standard DRW / Included)
Workbench Storage Bumper, 21" Recessed, Stabilizer cut out 95" Wide	GWBU392
Walk-up Platform Bumper, 24" Straight, 95" Wide	SBATS-SA
Walk-up Platform Bumper, 34" Straight, 95" Wide	SBATS2-SA
Handrail For SBATS	GWHR59-SA

Drawers							
Part Number	Size	Location					
SBA271822-5DRWR	27"W x 18"D x 22"H, 5 Drawer (5" x 1,3" x 4")	Front Curb or Street Side					
SBA271833-7DRWR	27"W x 18"D x 33"H, 7 Drawer (7" x 1,5" x 5")	Front Curb or Street Side					
SBA171822-5DRWR	17"W x 18"D x 22"H, 5 Drawer (5" x 1,3" x 4")	Second Cabinet Curb or Street Side					
SBA42187-1DRWR	42"W x 18"D x 7"H, 1 Drawer (3" x 1")	Horizontal Curb or Street Side					
SBA421810-2DRWR	42"W x 18"D x 10"H, 2 Drawer (4" x 2")	Horizontal Curb or Street Side					
SBA211822-5DRWR	21"W x 18"D x 22"H, 5 Drawer (5" x 1,3" x 4"	Rear Curb or Street Side					
SBA211833-7DRWR	21"W x 18"D x 33"H, 7 Drawer (7" x 1,5" x 5")	Rear Curb or Street Side					

Service Body Options
Options
Retractable Roof - Aluminum roll up roof w/ lockable handle
Non-Slip Flooring - Rubberized coating for load space and/or bumper
Spray on-bed liners - Contact Dealer For More Information
Ladder Rack - Contact Dealer For More Information
Slide Out Bed - 1200lb capacity slide out deck
Side Pack Mounted Toolboxes - 8" tall toolboxes to provide more storage
Material Rack - Allows storage of pipe, ladders and materials above the body

Aluminum Checkerplate Trim Kits
Top of Side Packs
Load Space Walls

Paint	
Consult Factor For Non-Standard Colours	

Lighting
Options
Load Space Lights - 2 or 4 LED lights on sidewall
Pedestal Mount Strobes - Amber strobe on a 18" tall stand
Remote Spot Lights - Radio LED spotlight on a 18" tall stand
Traffic Directors - Splited arrow light
Scene Lights - Contact Dealer For More Information
Corner Strobes - 2 mounted in front grill, 2 at the rear of body
Work Lights - LED floodlight, specify location(s)



# Work Packages Options Compartment Reinforcements Kits - Contact Dealer For More Information Welder - Contact Dealer For More Information

Compressor - Contact Dealer For More Information

Lube Skid - Contact Dealer For More Information

Liftgate - Contact Dealer For More Information




















### **AERIAL BODIES**

Voth's all-aluminum service body is known for its strength and reliability, crafted from premium 5052-H32 marine-grade aluminum. Its heavy-gauge construction ensures durability on the job site and at 45% lighter than steel, it enhances fuel efficiency and maximizes payload capacity, offering a smarter, more cost-effective solution for your business.

Voth Service Bodies can be configured with re-enforced mounting pedestal and bumper work bench to easily integrate aerial equipment.




Body	Body	Body	Body	Body Compartment Size			
Length	Width	Hight	Material	A (Red)	B (Blue)	C (Green)	D (Yellow)
132.00 in (11 ft)	95.250	42.00 in (3.5 ft)	0.125" Welded 5050 - H32 Aluminum	27.62 in x 36.31 in (2.30 ft x 3.02 ft)	17.62 in x 36.31 in (1.46 ft x 3.02 ft)	42.50 in x 17.68 in (3.54 ft x 1.474 ft)	21.62 in x 36.31 in (1.80 ft x 3.02 ft)

\*CONSULT FACTORY FOR ADDITIONAL BODY CONFIGURATIONS\*



### **AERIAL BODIES**



#### STANDARD AERIAL SERVICE BODY FEATURES

#### **Body Features**

- 1. POWDER COAT WHITE PAINT
- 2. SIX 2000LB SWIVEL TIE DOWNS IN LOAD SPACE
- 3. REAR GRAB HANDLES
- 4. FRONT GRAVEL GUARDS
- 5. 11" TAILGATE

#### **Door and Security Features**

- 6. STAINLESS WHALE TAIL HANDLES
- 7. THREE POINT LOCKING SYSTEM
- 8. DUAL AUTOMOTIVE DOOR SEALS
- 9. FORMED DRIP EDGE
- 10. SHELVING: 2 PER VERTICAL. 1 ON HORIZONTAL
- 11. RIGHT REAR HAS 6 J-HOOKS INSTEAD OF SHELVING
- 12. MASTER LOCKING SYSTEM
- 13. GAS SHOCK DOOR HOLDERS (VERTICAL), CHAINS (HORIZONTAL)

#### **Lighting Features**

- 14. LED STOP / TAIL / TURN LIGHT
- 15. LED ROPE LIGHTINGIN ALL COMPARTMENTS



### **AERIALS BODIES**

	ALNI	AI						
	Mounting Kits							
Aerial Body Mo	ounting Lit	ASB84DRW-BM-8 (being redeveloped)						
Bumpers (not included for aerial bodies)								
Standard Bumpe	r, 10" Recessed, 95" Wide	SBADRWBU						
Walk-up Platform Bu	mper, 24" Straight, 95" Wide		SBATS-SA					
Walk-up Platform Bu	mper, 34" Straight, 95" Wide		SBATS2-SA					
Hand	rail for SBATS		GWHR59-SA					
	Drawers							
Part Number	Size		Location					
SBA271822-5DRWR	27"W x 18"D x 22"H, 5 Drawer (5" x 1,3	" x 4")	Front Curb or Street Side					
SBA271833-7DRWR	27"W x 18"D x 33"H, 5 Drawer (7" x 1,5	" x 5")	Front Curb or Street Side					
SBA171822-5DRWR	17"W x 18"D x 22"H, 5 Drawer (5" x 1,3	" x 4")	Second Cabinet Curb or Street Side					
SBA42187-1DRWR	42"W x 18"D x 7"H, 1 Drawer (3" x	1")	Horizontal Curb or Street Side					
SBA421810-2DRWR	42"W x 18"D x 10"H, 2 Drawer (4" x	2")	Horizontal Curb or Street Side					
SBA211822-5DRWR	21"W x 18"D x 22"H, 5 Drawer (5" x 1,3	" x 4")	Rear Curb or Street Side					
SBA211833-7DRWR	21"W x 18"D x 33"H, 7 Drawer (7" x 1,5	" x 5")	Rear Curb or Street Side					
	Service Body Options							
	Options							
Non-Slip Flooring - Rubberized coating for load space and/or bumper								
	Spray on-bed liners - Contact Dealer For More Information							
Ladder Rack - Contact Dealer For More Information								
Side Pack	Mounted Toolboxes - 8" tall toolboxes	to provi	de more storage					
	Add Ons							
	Options							
	E-Track in load space - Contact Dealer For N	lore Infor	mation					
Cone ho	lder (bumper / flat mounted) - Contact Dea	ler For Mo	re Information					
	Extra shelving - Contact Dealer For More							
	Spare tire rack - Contact Dealer For Mor							
	Swivel hooks - Contact Dealer For More							
	Headache rack - Contact Dealer For Mor	e Informa	tion					
	Aluminum Checkerplate Trim	Kits						
	Top of Side Packs							
	Load Space Walls							
	Paint							
	Consult Factor For Non-Standard (	Colours						
	Lighting							
	Options							
	Load Space Lights - 2 or 4 LED lights	on sidewa						
	Pedestal Mount Strobes - Amber strobe on	a 18" tall	stand					
	Remote Spot Lights - Radio LED spotlight o	n a 18" ta	l stand					
Traffic Directors - Splited arrow light								

VOTH SERVICE BODIES vothtruckbodies.com

Scene Lights - Contact Dealer For More Information

Corner Strobes - 2 mounted in front grill, 2 at the rear of body

Work Lights - LED floodlight, specify location(s)



## **AERIALS BODIES**

























Voth's all-aluminum crane body is known for its strength and reliability, crafted from premium 5052-H32 marine-grade aluminum. Its heavy-gauge construction ensures durability on the job site and at 45% lighter than steel, it enhances fuel efficiency and maximizes payload capacity, offering a smarter, more cost-effective solution for your business.


Ideal selection for mechanics, these bodies featured a crane tower and re-enforced cabinet to support service cranes.



Body	Body	Body	Body	Compartment Size			
Length	Width	Hight	Material	A (Red)	B (Blue)	C (Green)	D (Yellow)
132.00 in (11 ft)	95.25 in (7.93 ft)	60.00 in (5 ft)	0.125" Welded 5050 - H32 Aluminum	27.50 in x 54.25 in (2.29 ft x 4.52 ft)	17.50 in x 36.25 in (1.45 ft x 3.02 ft)	42.50 in x 17.50 (3.54 ft x 1.45 ft)	21.50 in x 36.25 in (1.79 ft x 3.02)




Body	Body	Body	Body	Compartment Size			
Length	Width	Hight	Material	A (Red)	B (Blue)	C (Green)	D (Yellow)
132.00 in (11 ft)	95.25 in (7.93 ft)	60.00 in (5 ft)	0.125" Welded 5050 - H32 Aluminum	27.50 in x 54.25 in (2.29 ft x 4.52 ft)	17.50 in x 54.25 in (1.45 ft x 4.52 ft)	42.50 in x 35.50 in (3.54 ft x 2.95 ft)	21.50 in x 54.25 in (1.79 ft x 4.52 ft)



Body	Body Body		Body	Compartment Size		
Length	Width	Hight	Material	A (Red)	B (Blue)	C (Green)
108.00 in (9.00 ft)	97.50 in (8.12 ft)	60.00 in (5.00 ft)	0.125" Welded 5050 - H32 Aluminum	27.50 in x 54.25 in (2.29 ft x 4.52 ft)	42.50 in x 35.50 in (3.54 ft x 2.95 ft)	21.50 in x 54.25 in (1.79 ft x 4.52 ft)





#### STANDARD CRANE BODY FEATURES

#### **Body Features**

- POWDER COAT WHITE PAINT
- SIX 2000LB SWIVEL TIE DOWNS IN LOAD SPACE
- TWO REAR GRAB HANDLES 3.
- FRONT GRAVEL GUARDS
- 11" TAILGATE

#### **Door and Security Features**

- STAINLESS WHALE TAIL HANDELS
- THREE POINT LOCKING SYSTEM 7.
- DUAL AUTOMOTIVE DOOR SEALS 8.
- 9. FORMED DRIP EDGE
- SHELVING: 2 PER VERTICAL (42" AND 3 ON 60"). 1 ON 10.
- SHELVING: 60" PASSENGER SIDE VENTED W/ BOTTLE 11. BRACKET
- 12. MASTER LOCKING SYSTEM
- GAS SHOCK DOOR HOLDERS (VERTICAL)< CHAINS

#### **Lighting Features**

- LED STOP / TAIL / TURN LIGHT
- LED ROPE LIGHTINGIN ALL COMPARTMENTS
- CRANE TOWER RATING: 30'000 TO 52,000 FT.LBS, REAR MOUNT CABINET MATERIAL: STRENX 100 XF +" THICK AND 5/16" THICK STEEL, COMPATIBLE CRANES: 5,500 TO 8,000 LBS. SERIES CRANES, REAR CABINET

DIMENSIONS: 27.75"W X 54.25"H



Mounting Kits		
Crane Body Mounting Kit	GW-FORD84CA-CBMTG-KIT-2022	

Bumpers (not included for crane bodie	es)
Low profile crane bumper, Stabilizer cut out, 95" Wide	SBADRWBUC
Workbench storage bumper, 21" Recessed, Stabilizer cut out 95" Wide	GWB4392

	Drawers	
Part Number	Size	Location
SBA271822-5DRWR	27"W x 18"D x 22"H 5 Drawer (5" x 1,3" x 4")	Front Curb or Street Side
SBA271833-7DRWR	27"W x 18"D x 33"H 7 Drawer (7" x 1,5" x 1,3" x 5")	Front Curb or Street Side
SBA171822-5DRWR	17"W x 18"D x 22"H 5 Drawer (5" x 1,3" x 4")	Second Cabinet Curb or Street Side
SBA42187-1DRWR	42"W x 18"D x 7"H 1 Drawer (3" x 1")	Horizontal Curb or Street Side
SBA421810-2DRWR	42"W x 18"D x 10"H 2 Drawer (4" x 2")	Horizontal Curb or Street Side
SBA211822-5DRWR	21"W x 18"D x 22"H 5 Drawer (5" x 1,3"x 4")	Rear Curb or Street Side
SBA211833-7DRWR	21"W x 18"D x 33"H 7 Drawer (7" x 1,5" x 1,3"x 5")	Rear Curb or Street Side

Service Body Options
Options
Retractable Roof - Contact Dealer For More Information
Non-slip floor - Contact Dealer For More Information
Spray on-bed liners - Contact Dealer For More Information
Ladder Rack - Contact Dealer For More Information
Slide Out Bed - Contact Dealer For More Information
Side Pack Mounted Toolboxes - Contact Dealer For More Information

Add Ons
Options
E-Track in load space - Contact Dealer For More Information
Cone holder (bumper / flat mounted) - Contact Dealer For More Information
Extra shelving - Contact Dealer For More Information
Spare tire rack - Contact Dealer For More Information
Swivel hooks - Contact Dealer For More Information
Headache rack - Contact Dealer For More Information
Gas bottle brackets - Contact Dealer For More Information

Aluminum Checkerplate Trim Kits
Top of Side Packs
Load Space Walls

Paint	
Consult Factor For Non-Standard Colours	

Work Packages
Options
Compartment Reinforcements Kits - Contact Dealer For More Information
Welder - Contact Dealer For More Information
Compressor - Contact Dealer For More Information
Lube Side / Packages - Contact Dealer For More Information
Liftgate - Contact Dealer For More Information



#### Lighting

#### **Options**

Load Space Lights - 2 or 4 LED lights on sidewall

Pedestal Mount Strobes - Amber strobe on a 18" tall stand

Remote Spot Lights - Radio LED spotlight on a 18" tall stand

Traffic Directors - Splited arrow light

Scene Lights - Contact Dealer For More Information

Corner Strobes - 2 mounted in front grill, 2 at the rear of body

Work Lights - LED floodlight, specify location(s)

#### Cranes

#### Options

Stellar - Contact Dealer For More Information

TBD - Contact Dealer For More Information

TBD - Contact Dealer For More Information

#### **Stabilizers**

#### Options

OB-TD-EML-PMS-BIG - 45K Manual out / down stabilizer

1B-TD-EMLS-CR-PJ-BIG - 53K Manual Out, Hydraulic down stabilizer

1B-TD-EHL/S-CR-PJ-BIG - 53K Hydraulic out / down stabilizer













### **WARRANTY**

### **VOTH WARRANTY**

Voth Truck Bodies provides a 3-year warranty on items manufactured by Voth Truck Bodies.

### **VENDOR WARRANTY POLICIES**

Telescopic cylinders come with a 1-year manufacturers warranty.

Electric/ Hydraulic power packs come with a 1-year manufacturers warranty.

### **CONNECT WITH US ON OUR SOCIALS!**



















### **KEY CONTACTS**

### **KEY CONTACTS**

FRANK VOTH - President & Sales Canadian Distributor Inquiries

T: 519.842.7200 x 3142 F: 519.842.7230 E: frank@vothsales.com

**STEVE VOTH** - Operations Manager

T: 519.842.7200 x 3143 F: 519.842.7230 E: steve@vothsales.com

CHRIS GOLETZ - US Sales Eastern USA


T: 262.294.1588 E: cgoletz@driveproducts.com


**KENAN COLIC** - Manufacturing Division Inside Sales

T: 1.800.668.6012 x 3148 E: vothdistribution@driveproducts.com

### **DISTRIBUTOR MAP**

To find your distributor please visit vothtruckbodies.com/distributor-map











66 Norfolk County Rd #13 Courtland ON NOJ 1E0



519.842.7200



voth distribution @drive products.com

For more info visit our websites: www.vothtruckbodies.com www.driveproducts.com