






VOTH Flat Decks are engineered for durability, functionality, and versatility in a range of commercial applications. Designed with high-strength materials and precision manufacturing. Whether for general hauling, vocational tasks, or custom fleet builds, VOTH flat decks deliver reliable performance and a professional finish tailored to your needs.

- Useable Deck Length 16' 26'
- Material Construction Steel or Aluminum
 - Floor Aluminum Extrusion / Checkerplate Steel / Wood
 - Headboard Options 40" / 48"
 - Lighting Standard CMVSS / FMVSS
 - Standard External rub rail and pockets



STANDARD FLAT DECK FEATURES

Body Features

- 1. MADE OF ALUMINUM OR STEEL
- 2. WIDTH 100.75" OUTSIDE RAIL (96" INSIDE RAIL)
- 3. CROSSMEMBER UNDERSTRUCTURE
- 4. HEADBOARD OPTIONS HEIGHT 40" / 48"
- 5. HEADBOARD STYLE SQUARED
- 6. BLACK, EPOXY PRIMER AND POLYURETHANE PAINT OR ALUMINUM FINISH
- FLOORING AVAILABLE IN APITONG WOOD (1-5/16" X 7-3/8" PLANKS) OR 3/16" CHECKER PLATE OR ALUMINUM EXTRUDED FLOOR

Lighting Features

- 8. 3 MARKER LIGHTS ON EACH SIDE, 5 AT REAR, CHASSIS STT AND REVERSE LIGHTS REUSED
- 1 MARKER LIGHT ON EACH SIDE, 5 MARKER LIGHTS AT REAR, 2 STT AT REAR *AVAILABLE ON SELECT MODEL



120" - 132" CA					
SKU NUMBER		SA160-1X1XX1D00TF0000-VTB	SA180-1X1XX1D00TF0000-VTB	AA160-EX1XX1D00TF9900-VTB	AA180-EX1XX1D00TF9900-VTB
GVWR (lbs.)	Class 6/7	J	J.	J	J.
USEABLE DECK LENGTH (FT)	16' - 18'	16'	18'	16'	18'
DECK WIDTH	100.75" outside rails (96" inside rail)	J	J	J	v
MATERIAL	Steel / Aluminum	Steel	Steel	Aluminum	Aluminum
FLOOR	Apitong Wood Floor / 3/16'' Checkerplate / Aluminum Extrusion	Apitong Wood Floor	Apitong Wood Floor	Aluminum Extrusion	Aluminum Extrusion
UNDERSTRUCTURE	Crossmembers	Crossmembers	Crossmembers	Crossmembers	Crossmembers
HEADBOARD HEIGHT	40" - 48"	48" with Window	48" with Window	48" with Window (Bolt On)	48" with Window (Bolt On)
HEADBOARD STYLE	Squared or Tapered	Square	Square	Squared	Square
PAINT	Black Paint or Aluminum finish	Black, Epoxy Primer and Polyurethane Paint	Black, Epoxy Primer and Polyurethane Paint	Aluminum Finish	Aluminum Finish
CMVSS LIGHT	3 Marker Lights on each side, 5 at Rear , Chassis STT and reverse lights reused	J	J	J	V
STAKE POCKETS	Exterior Rubrail	Exterior Rubrail	Exterior Rubrail	Exterior Rubrail	Exterior Rubrail
WINCH TRACK APPLICATION	PS Winch Track	J.	√ .	J	√

				132" - 150" C	A			
SKU NUMBER		SA200-1X1XX- 1D00TF0000-VTB	SA220-1X1XX- 1D00TF0000-VTB	SA240- 1X1XXYE00TF0000-VTB	SA240-1X1XX- 1D00TF0000-VTB	SA240- 3X1XX1D00TF0000-VTB	AA220-EX1XX- 1D00TF9900-VTB	AA240-EX1XX- 1D00TF9900-VTB
GVWR (lbs.)	Class 6/7	J	J.	J	J	√	√ .	J
USEABLE DECK LENGTH (FT)	20' - 24'	20'	22'	24'	24'	24'	22'	24'
DECK WIDTH	100.75" outside rails (96" inside rail)	J	J.	J	J	,	J	J.
MATERIAL	Steel / Aluminum	Steel	Steel	Steel	Steel	Steel	Aluminum	Aluminum
FLOOR	Apitong Wood Floor / 3/16" Checkerplate / Aluminum Extrusion	Apitong Wood Floor	Apitong Wood Floor	Apitong Wood Floor	Apitong Wood Floor	3/16"Checker Plate Floor	Aluminum Extrusion	Aluminum Extrusion
UNDERSTRUCTURE	Crossmembers	Crossmembers	Crossmembers	Crossmembers	Crossmembers	Crossmembers	Crossmembers	Crossmembers
HEADBOARD HEIGHT	40" / 48" / 60"	48" Window	48" Window	40" Window	48" Window	48" Window	48" with Window (Bolt On)	48" with Window (Bolt On)
HEADBOARD STYLE	Squared or Tapered	Square	Square	Square	Square	Square	Square	Square
PAINT	Black Paint or Aluminum finish	Black, Epoxy Primer and Polyurethane Paint	Aluminum Finish	Aluminum Finish				
CMVSS LIGHT	3 Marker Lights on each side, 5 at Rear , Chassis STT and reverse lights reused	J	,	,	,	•	,	V
STAKE POCKETS	Exterior Rubrail	J	J	J	J	J	J	V
WINCH TRACK APPLICATION	PS Winch Track	V	J	J.	V	J	J	V



219" CA HITCHHIKER				
SKU NUMBER		SA250-3X1XH63I0TF0000-VTB	SA250-3XAXH6GIOTF0000-VTB	
RECOMMENDED CA"	219"	J	J	
GVWR (lbs.)	Class 6/7	CLASS 6/7	CLASS 6/7	
USEABLE DECK LENGTH (FT)	25'	25'	25'	
DECK WIDTH	100.75" / 104" Outside Rails	100.75" Outside Rails	104" Outside Rails	
MATERIAL	Steel / Aluminum Construction	Steel	Steel	
FLOOR	Apitong Wood Floor / 3/16" Checkerplate	3/16"Checker Plate Floor	3/16"Checker Plate Floor	
UNDERSTRUCTURE	Crossmembers	Crossmembers	Crossmembers	
HEADBOARD HEIGHT	74" Window	74" / Window / 10 GA with 4 x 2 x 3 x 3/16 Tubing	74" / Window / 10 GA with 4 x 2 x 3 x 3/16 Tubing	
HEADBOARD STYLE	Squared or Tapered	Square	Square	
PAINT	Black Paint or Aluminum finish	Black, Epoxy Primer and Polyurethane Paint	Black, Epoxy Primer and Polyurethane Paint	
CMVSS LIGHT	3 Marker Lights on each side, 5 at Rear , Chassis STT and reverse lights reused	,	•	
STAKE POCKETS	Exterior Rubrail	Exterior Rubrail	Exterior Rubrail	
WINCH TRACK APPLICATION	PS or DS Winch Track with Straps	PS and DS Winch Track with Straps	PS Winch Track	
TIE DOWNS	Center Tie Downs	J	J	
REAR MOUNTS	Fork Lift Mount Prepped	J	J	













S DRIVEPRODUCTS FLAT DECKS - DUMPING MANUFACTURING DIVISION

84" CA				
SKU NUMBER		SA120-BX1XX14G1K30000-VTB	AA120-5X1XX14G1K39900-VTB	
GVWR (lbs.)	Up to 19,500 lbs.	J	√	
USEABLE DECK LENGTH (FT)	12'	J	√	
DECK WIDTH	100.75" outside rails (96" inside rail)	J	J	
MATERIAL	Steel / Galvanized Steel / Aluminum	Steel	Aluminum	
FLOOR	Apitong Wood Floor / Smooth Steel / Checker Plate Aluminum	Smooth Steel	Checker Plate Aluminum	
UNDERSTRUCTURE	Crossmembers	J	J	
HEADBOARD HEIGHT	Steel or Aluminum 48"	Steel 48"	Aluminum 48"	
HEADBOARD STYLE	Squared or Tapered	Square	Square	
PAINT	Black Paint or Aluminum finish	Black, Epoxy Primer and Polyurethane Paint	Aluminum Finish	
WINCH TRACK APPLICATION	PS & DS Winch Track with Straps	J	J.	
CMVSS LIGHT	3 Marker Lights on each side, 5 at Rear , Chassis STT and reverse lights reused	J	V	
TIE DOWNS	Centre Tie Downs	J	J	
STAKE POCKETS	Exterior Rubrail	J	J	
REAR ROLLER	Available	J.	J	

108" CA				
SKU NUMBER		SA140-BX1XX14G1K70000-VTB	AA140-5X1XX14G1K79900-VTB	
GVWR (lbs.)	Up to 19,500	√ .	v	
USEABLE DECK LENGTH (FT)	14'	√ .	J	
DECK WIDTH	100.75" outside rails (96" inside rail)	√ .	√	
MATERIAL	Steel / Galvanized Steel / Aluminum	Steel	Aluminum	
FLOOR	Apitong Wood Floor / Smooth Steel / Checker Plate Aluminum	Smooth Steel	Checker Plate Aluminum	
UNDERSTRUCTURE	Crossmembers	V	J	
HEADBOARD HEIGHT	Steel or Aluminum 48"	Steel 48"	Aluminum 48"	
HEADBOARD STYLE	Squared or Tapered	Square	Square	
PAINT	Black Paint or Aluminum finish	Black, Epoxy Primer and Polyurethane Paint	Aluminum Finish	
WINCH TRACK APPLICATION	PS & DS Winch Track with Straps	v	J	
CMVSS LIGHT	3 Marker Lights on each side, 5 at Rear , Chassis STT and reverse lights reused	v	v	
TIE DOWNS	Centre Tie Downs	v	J.	
STAKE POCKETS	Exterior Rubrail	v	J	
REAR ROLLER	Available	✓	J	







IMAGES ARE FOR DEMONSTRATIVE PURPOSE





DRIVEPRODUCTS | FLAT DECKS - DUMPING

		132" / 138" / 150" CA		
SKU NUMBER		GA180-1X1XX14G1K99900-VTB	GA200-1X1XX14G1K90000-VTB	GA200-1X1XX24G1K99900-VTB
GVWR (lbs.)	Class 6/7	J	J	J
USEABLE DECK LENGTH (FT)	20'	J	J	J
DECK WIDTH	100.75" outside rails (96" inside rail)	J	J	J
MATERIAL	Steel / Galvanized Steel / Aluminum	Galvanized Steel	Galvanized Steel	Galvanized Steel
FLOOR	Apitong Wood Floor / Smooth Steel / Checker Plate Aluminum	Apitong Wood Floor	Apitong Wood Floor	Apitong Wood Floor
UNDERSTRUCTURE	Crossmembers	J	J	J
HEADBOARD HEIGHT	Steel / Galvanized Steel / Aluminum 48" or 60"	Steel 48"	Galvanized Steel 48"	Galvanized Steel 60"
HEADBOARD STYLE	Squared or Tapered	Square	Square	Square
PAINT	Black Paint / Aluminum finish / Galvanized Steel finish	Galvanized Steel finish	Galvanized Steel finish	Galvanized Steel finish
WINCH TRACK APPLICATION	PS & DS Winch Track with Straps	J	J	J
CMVSS LIGHT	3 Marker Lights on each side, 5 at Rear , Chassis STT and reverse lights reused	,	J.	J
TIE DOWNS	Centre Tie Downs	J	J	√ .
STAKE POCKETS	Exterior Rubrail	J	J	√ .
REAR ROLLER	Available	X	J	√ .











ACCESSORIES

Stake Racks / Sides

Stake sides, or stake rakes, are removable panels fitted into pockets on flatbed trucks or trailers to secure and contain cargo.



Ladder

Built-in ladders on flat deck trucks provide convenient and safe access to the truck bed for loading, unloading, or securing cargo.



Toolboxes

Built-in tradesman toolboxes on flat deck trucks offer secure, weather-resistant storage for tools and equipment.



Hitchhiker

Hitchhiker Decks are durable, steel-built platforms designed for easy, secure transport of equipment and tools.





















WARRANTY



VOTH WARRANTY


Voth Truck Bodies provides a 3-year warranty on items manufactured by Voth Truck Bodies.


VENDOR WARRANTY POLICIES

Telescopic cylinders come with a 1-year manufacturers warranty. Electric/ Hydraulic power packs come with a 1-year manufacturers warranty.

DISTRIBUTOR MAP

To find your distributor please visit vothtruckbodies.com/distributor-map






CONNECT WITH US ON OUR SOCIALS!













NOTES



NOTES





vothdistribution@driveproducts.com

For more info visit our websites: www.vothtruckbodies.com www.driveproducts.com